

TOP 20 DX BY CLINICAL GROUPING



MMTA – Cardiac/Circulatory

| ICD-10 CODE | DESCRIPTION | % OF CLINICAL GROUPING |
|-------------|--|---------------------------|
| I11.0 | Hypertensive heart disease with heart failure | 20% |
| I13.0 | Hyp hrt & chr kdny dis w hrt fail and stg 1-4/unsp chr kdny | 14% |
| 125.10 | Athscl heart disease of native coronary artery w/o ang pctrs | 9% |
| 187.2 | Venous insufficiency (chronic) (peripheral) | 8% |
| l12.9 | Hypertensive chronic kidney disease w stg 1-4/unsp chr kdny | 6% |
| 148.91 | Unspecified atrial fibrillation | 6% |
| I11.9 | Hypertensive heart disease without heart failure | 5% |
| 150.9 | Heart failure, unspecified | 3% |
| 148.0 | Paroxysmal atrial fibrillation | 3% |
| I13.2 | Hyp hrt & chr kdny dis w hrt fail and w stg 5 chr kdny/ESRD | 2% |
| 148.2 | Chronic atrial fibrillation | 2% |
| I21.4 | Non-ST elevation (NSTEMI) myocardial infarction | 2% |
| I12.0 | Hyp chr kidney disease w stage 5 chr kidney disease or ESRD | 2% |
| 173.9 | Peripheral vascular disease, unspecified | 1% |
| 126.99 | Other pulmonary embolism without acute cor pulmonale | 1% |
| 150.32 | Chronic diastolic (congestive) heart failure | 1% |
| I25.119 | Athscl heart disease of native cor art w unsp ang pctrs | 1% |
| 150.33 | Acute on chronic diastolic (congestive) heart failure | 1% |
| 150.22 | Chronic systolic (congestive) heart failure | 1% |
| 150.23 | Acute on chronic systolic (congestive) heart failure | 1% |

ovember 2019